

Cabinetry Sizing Guide: Lighting

Linear Fixture Lighting Made Easy

Linear fixtures are sized to fit standard cabinet widths and come in several profile options. Use the **Angled Profile (P3)** under cabinets, inside cabinets, or in the toe kick to angle light where it's needed. Use the **Flat Profile (P7)** under cabinets to illuminate the workspace directly below. Use the **Recessed Profile (PX)** under cabinets or shelves for a flush, sleek finish. Use the multi-purpose **Dual-Mount Profile (PD)** for surface- or recess-mounted applications. Use the **Premium Flat Profile (PF)** for a sleek, finished look under cabinets.

The Standard, High, and Higher Output Tunable-White fixtures have tunable-white color temperatures that allow users to change the color temperature from 2700K to 5000K and anywhere in between.



300 lm./ft. Standard Output Tunable-White Fixture Example *Angled Profile, 12V*

Profile Option

LT 2 P 3 1 2 V 0 9 - 0 3 W



400 lm./ft. High Output Tunable-White Fixture Example *Flat Profile, 24V*

Profile Option

LT 4 P 7 2 4 V 2 1 - 0 6 W



600 lm./ft. Higher Output Tunable-White Fixture Example *Premium Flat Profile, 24V*

Profile Option

LT 6 P F 2 4 V 4 2 - **B 1 8 W**



600 lm./ft. Higher Output Tunable-White Fixture Example *Dual-Mount Profile, 24V*

Profile Option

LT 6 P D 2 4 V 4 8 - 1 9 W



600 lm./ft. Higher Output Tunable-White Fixture Example *Recessed Profile, 24V*

Profile Option

LT 6 P X 2 4 V 4 2 - 1 8 W



Looking for single-white linear fixtures?

Scan the QR code or visit <https://delivr.com/2a79b> for more information.

Cabinetry Sizing Guide: Lighting

Task Lighting & Power

	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
9" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 5-1/8" PD Profile: 6-7/16" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 5-11/16" PD Profiles: 7"	LT2P312V09-03W	LT2P324V09-03W	LT4P324V09-03W	LT6P324V09-03W
	LT2P712V09-03W	LT2P724V09-03W	LT4P724V09-03W	LT6P724V09-03W
	LT2PX12V09-03W	LT2PX24V09-03W	LT4PX24V09-03W	LT6PX24V09-03W
	—	LT3PD24V09-02W	LT4PD24V09-02W	LT6PD24V09-03W
	—	—	—	LT6PF24V09-Color03W

	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
12" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 7-5/16" PD Profile: 8-9/16" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 8-1/8" PD Profiles: 9-7/16"	LT2P312V12-03W	LT2P324V12-03W	LT4P324V12-03W	LT6P324V12-04W
	LT2P712V12-03W	LT2P724V12-03W	LT4P724V12-03W	LT6P724V12-04W
	LT2PX12V12-03W	LT2PX24V12-03W	LT4PX24V12-03W	LT6PX24V12-04W
	—	LT3PD24V12-02W	LT4PD24V12-03W	LT6PD24V12-04W
	—	—	—	LT6PF24V12-Color04W

	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
15" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 11-11/16" PD Profile: 10-3/4" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 10-5/8" PD Profiles: 11-15/16"	LT2P312V15-04W	LT2P324V15-04W	LT4P324V15-04W	LT6P324V15-06W
	LT2P712V15-04W	LT2P724V15-04W	LT4P724V15-04W	LT6P724V15-06W
	LT2PX12V15-04W	LT2PX24V15-04W	LT4PX24V15-04W	LT6PX24V15-06W
	—	LT3PD24V15-03W	LT4PD24V15-03W	LT6PD24V15-05W
	—	—	—	LT6PF24V15-Color06W

Cabinetry Sizing Guide: Lighting

	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
18" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 13-7/8" PD Profile: 15-1/16" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 15-1/2" PD Profiles: 14-3/8"	LT2P312V18-05W	LT2P324V18-05W	LT4P324V18-05W	LT6P324V18-07W
	LT2P712V18-05W	LT2P724V18-05W	LT4P724V18-05W	LT6P724V18-07W
	LT2PX12V18-05W	LT2PX24V18-05W	LT4PX24V18-05W	LT6PX24V18-07W
	—	LT3PD24V18-04W	LT4PD24V18-04W	LT6PD24V18-06W
	—	—	—	LT6PF24V18-Color07W
	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
21" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 18-3/16" PD Profile: 17-1/4" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 18" PD Profiles: 16-13/16"	LT2P312V21-06W	LT2P324V21-06W	LT4P324V21-06W	LT6P324V21-09W
	LT2P712V21-06W	LT2P724V21-06W	LT4P724V21-06W	LT6P724V21-09W
	LT2PX12V21-06W	LT2PX24V21-06W	LT4PX24V21-06W	LT6PX24V21-09W
	—	LT3PD24V21-04W	LT4PD24V21-05W	LT6PD24V21-07W
	—	—	—	LT6PF24V21-Color09W
	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
24" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 20-3/8" PD Profile: 21-9/16" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 20-7/16" PD Profiles: 21-3/4"	LT2P312V24-06W	LT2P324V24-06W	LT4P324V24-07W	LT6P324V24-10W
	LT2P712V24-06W	LT2P724V24-06W	LT4P724V24-07W	LT6P724V24-10W
	LT2PX12V24-06W	LT2PX24V24-06W	LT4PX24V24-07W	LT6PX24V24-10W
	—	LT3PD24V24-06W	LT4PD24V24-06W	LT6PD24V24-09W
	—	—	—	LT6PF24V24-Color10W

Cabinetry Sizing Guide: Lighting

Task Lighting
& Power

	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
27" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 22-9/16" PD Profile: 23-3/4" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 22-7/8" PD Profiles: 24-1/4"	LT2 P3 12V27-07W	LT2 P3 24V27-07W	LT4 P3 24V27-08W	LT6 P3 24V27-11W
	LT2 P7 12V27-07W	LT2 P7 24V27-07W	LT4 P7 24V27-08W	LT6 P7 24V27-11W
	LT2 PX 12V27-07W	LT2 PX 24V27-07W	LT4 PX 24V27-08W	LT6 PX 24V27-11W
	—	LT3 PD 24V27-06W	LT4 PD 24V27-07W	LT6 PD 24V27-10W
	—	—	—	LT6 PF 24V27- Color 11W
	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
30" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 26-15/16" PD Profile: 25-7/8" High & Higher Output Tunable-White Fixture Length P3, P7, & PX Profiles: 25-3/8" PD Profiles: 26-11/16"	LT2 P3 12V30-08W	LT2 P3 24V30-08W	LT4 P3 24V30-09W	LT6 P3 24V30-13W
	LT2 P7 12V30-08W	LT2 P7 24V30-08W	LT4 P7 24V30-09W	LT6 P7 24V30-13W
	LT2 PX 12V30-08W	LT2 PX 24V30-08W	LT4 PX 24V30-09W	LT6 PX 24V30-13W
	—	LT3 PD 24V30-07W	LT4 PD 24V30-08W	LT6 PD 24V30-11W
	—	—	—	LT6 PF 24V30- Color 13W
	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
33" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 29-1/8" PD Profile: 30-1/4" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 30-1/4" PD Profiles: 29-1/8"	LT2 P3 12V33-09W	LT2 P3 24V33-09W	LT4 P3 24V33-10W	LT6 P3 24V33-14W
	LT2 P7 12V33-09W	LT2 P7 24V33-09W	LT4 P7 24V33-10W	LT6 P7 24V33-14W
	LT2 PX 12V33-09W	LT2 PX 24V33-09W	LT4 PX 24V33-10W	LT6 PX 24V33-14W
	—	LT3 PD 24V33-08W	LT4 PD 24V33-08W	LT6 PD 24V33-12W
	—	—	—	LT6 PF 24V33- Color 14W

Cabinetry Sizing Guide: Lighting

	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
36" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 31-5/16" PD Profile: 32-3/8" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 32-3/4" PD Profiles: 34-1/16"	LT2 P3 12V36-09W	LT2 P3 24V36-09W	LT4 P3 24V36-10W	LT6 P3 24V36-15W
	LT2 P7 12V36-09W	LT2 P7 24V36-09W	LT4 P7 24V36-10W	LT6 P7 24V36-15W
	LT2 PX 12V36-09W	LT2 PX 24V36-09W	LT4 PX 24V36-10W	LT6 PX 24V36-15W
	—	LT3 PD 24V36-08W	LT4 PD 24V36-10W	LT6 PD 24V36-14W
	—	—	—	LT6 PF 24V36- Color 15W
	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
39" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 35-11/16" PD Profile: 36-3/4" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 35- 3/16" PD Profiles: 36-1/2"	LT2 P3 12V39-10W	LT2 P3 24V39-10W	LT4 P3 24V39-12W	LT6 P3 24V39-17W
	LT2 P7 12V39-10W	LT2 P7 24V39-10W	LT4 P7 24V39-12W	LT6 P7 24V39-17W
	LT2 PX 12V39-10W	LT2 PX 24V39-10W	LT4 PX 24V39-12W	LT6 PX 24V39-17W
	—	LT3 PD 24V39-09W	LT4 PD 24V39-11W	LT6 PD 24V39-15W
	—	—	—	LT6 PF 24V39- Color 17W
	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
42" Cabinets Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 37-7/8" PD Profile: 38-7/8" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 37-5/8" PD Profiles: 39"	LT2 P3 12V42-11W	LT2 P3 24V42-11W	LT4 P3 24V42-12W	LT6 P3 24V42-18W
	LT2 P7 12V42-11W	LT2 P7 24V42-11W	LT4 P7 24V42-12W	LT6 P7 24V42-18W
	LT2 PX 12V42-11W	LT2 PX 24V42-11W	LT4 PX 24V42-12W	LT6 PX 24V42-18W
	—	LT3 PD 24V42-10W	LT4 PD 24V42-11W	LT6 PD 24V42-17W
	—	—	—	LT6 PF 24V42- Color 18W

Cabinetry Sizing Guide: Lighting

Task Lighting & Power

	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
45" Cabinet Runs Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 40-1/16" PD Profile: 43-1/4" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 42-9/16" PD Profiles: 41-7/16"	LT2 P3 12V45-11W	LT2 P3 24V45-11W	LT4 P3 24V45-13W	LT6 P3 24V45-19W
	LT2 P7 12V45-11W	LT2 P7 24V45-11W	LT4 P7 24V45-13W	LT6 P7 24V45-19W
	LT2 PX 12V45-11W	LT2 PX 24V45-11W	LT4 PX 24V45-13W	LT6 PX 24V45-19W
	—	LT3 PD 24V45-11W	LT4 PD 24V45-12W	LT6 PD 24V45-18W
	—	—	—	LT6 PF 24V45- Color 19W
	—	—	—	—

	300 lm./ft. Standard Output Tunable-White Fixtures (12V)	300 lm./ft. Standard Output Tunable-White Fixtures (24V)	400 lm./ft. High Output Tunable-White Fixtures (24V)	600 lm./ft. Higher Output Tunable-White Fixtures (24V)
48" Cabinet Runs Standard Output (12V & 24V) Tunable-White Fixture Length P3, P7, & PX Profiles: 44-7/16" PD Profile: 45-3/8" High & Higher Output Tunable-White Fixture Length P3, P7, PF, & PX Profiles: 45" PD Profiles: 43-15/16"	LT2 P3 12V48-12W	LT2 P3 24V48-12W	LT4 P3 24V48-14W	LT6 P3 24V48-21W
	LT2 P7 12V48-12W	LT2 P7 24V48-12W	LT4 P7 24V48-14W	LT6 P7 24V48-21W
	LT2 PX 12V48-12W	LT2 PX 24V48-12W	LT4 PX 24V48-14W	LT6 PX 24V48-21W
	—	LT3 PD 24V48-12W	LT4 PD 24V48-13W	LT6 PD 24V48-19W
	—	—	—	LT6 PF 24V48- Color 21W
	—	—	—	—