

Confused by lighting design?

Let our qualified Design Services team help with a FREE layout and quote!

Receive a Lighting Quote in 3 easy steps

1

Complete

The digital Customer Quote Form on the next page

2


Attach

The PDF with floor plan or elevations with dimensions

3

Email

DesignAndSupport@
TaskLighting.com to
receive a FREE layout
and quote

[illegible]



TASK

lighting

Job Name _____

Date Needed By _____

Dealer Name _____

Dealer No. _____

Notes

TYPE OF PROJECT

☐ Residential
 ☐ Showroom
 ☐ Commercial

TYPE OF LIGHTING
(Select all that apply)

☐ **Track Lighting** - (no dimming)
☐ with Movement Sensing

☐ **Uplight Power Strip**
☐ Multi-Color (4-Channel)

☐ **Track Lights**
☐ with Movement Sensing

☐ **Multi-Color RGB**
☐ Tunable White

SELECT KELVIN TEMPERATURE
(Select all that apply)

☐ 2700K
☐ 3000K
☐ 4000K
☐ 5000K
☐ 5700K - (Color Shift)

TYPE OF POWER SUPPLY

☐ **Standard** - (120VAC/60Hz)
☐ **Universal** - (100V-240VAC/50-60Hz)

NOTE: For information regarding our standard power supply, please visit www.tasklighting.com

SELECT SINGLE STRIP SYSTEM

☐ **Basic**
☐ **Pro**

☐ **120VAC**
☐ **240VAC**


SELECT FINDER OPTION

☐ **None**
☐ **Simple**

☐ **Full Select**
☐ **WiFi**

Not all features are available on all products. Please visit www.tasklighting.com for more information and details of all items.

Determining Zones and Areas for Your Project



HOW MANY ZONES?

In your lighting project, a Zone is a location requiring a separate dimming system.

An example of multiple zones in a project, is when you want to dim or turn off your above cabinet separately from under cabinet.


HOW MANY AREAS?

In your lighting project, an Area is a location requiring a separate power supply.

An example of requiring more than one area in a project, is when wire cannot be run across the entire space to be lit due to an obstruction, such as a doorway.

Don't know where to start?

Call 866-848-9094 or email DesignAndSupport@TaskLighting.com. Get connected with one of our friendly in-house Design Services team members to help you pick out the lighting & power products that will work best in the space.



Sample layout from Design Services

Design Services: 866-848-9094

DesignAndSupport@TaskLighting.com

www.TaskLighting.com



Job Name _____

Date Needed By _____

Dealer Name/No. _____

Notes _____

TYPE OF PROJECT

☐

Residential

☐

Showroom

☐

Commercial

SELECT VOLTAGE

for LED Lighting

☐

Low Voltage
12-volt

☐

Low Voltage
24-volt

SELECT LUMEN OUTPUT

for LED Lighting

☐

ACCENT
0-149 Lm/Ft

☐

STANDARD
150-399 Lm/Ft

☐

HIGH (24-volt only)
400-599 Lm/Ft

☐

HIGHER (24-volt only)
600+ Lm/Ft

TYPE OF LIGHTING

check all that apply

Tape Lighting

☐

No Profile

☐

Angled Profile

☐

Dual-Mount Profile

☐

Flat Profile

☐

Premium Flat Profile

☐

Recessed Profile

Linear Fixtures

☐

Angled Profile

☐

Dual-Mount Profile
(24V only)

☐

Flat Profile

☐

Premium Flat Profile
(24V only)

☐

Recessed Profile

Neon Flexible Lighting

☐

Top Bend
(24V only, 3000K, 4000K)

☐

Side Bend
(24V only, 3000K, 4000K)

Specialty Lighting

☐

Flexible Sheet Light
(3000K, 4000K, 5000K)

☐

Mutli-Color RGB Tape Light

☐

Puck Lights
Finish Options Available

☐

120V
Bar Light

SELECT KELVIN TEMPERATURE

for LED Lighting

☐

2700K
warm white

☐

3000K
soft white

☐

4000K
cool white

☐

5000K
daylight white

☐

2700K-5000K
tunable-white

TYPE OF POWER SUPPLY

How would you like to control your lighting system?

☐

Plug-In- uses a WIRELESS
Dimming System

☐

Waterproof Hardwired - uses a
WIRELESS Dimming System

☐

Hardwired- uses a HARDWIRED On/
Off, Dimming System (not compatible
with tunable-white lighting)

TYPE OF APPLICATION (ZONE)

check all that apply

☐

Under Cabinet
cabinet style

☐

Interior Cabinet

☐

Above Cabinet

☐

Framed

☐

Frameless

☐

Toe-Kick

☐

Shelving

☐

Drawer

Room/Space (Closet, Bathroom, Kitchen, Laundry Room, etc.) _____

Email your floor plans or elevations with dimensions over to DesignAndSupport@TaskLighting.com and receive a layout and quote in 24-48 hours.

LIGHTED POWER STRIP FIXTURES

SELECT LUMEN OUTPUT

for LED Lighting

- ☐ **HIGH (DV Series)**
400 Lm/Ft
- ☐ **HIGHER (RM Series)**
600 Lm/Ft

SELECT LIGHTED POWER STRIP FIXTURES

12-volt fixtures

- ☐ **Single-White DV Series**
Built-in power supply
- ☐ **Single-White RM Series**
Remote power supply
- ☐ **Tunable-White RM Series**
Remote power supply
- ☐ **Not needed for this project**
- ☐ **USB-A/C Single-White DV Series**
Built-in power supply
- ☐ **USB-A/C Single-White RM Series**
Remote power supply
- ☐ **USB-A/C Tunable-White RM Series**
Remote power supply

SELECT FINISH OPTION

for lighted power strip

- ☐ **Black**
(BK)
- ☐ **Bronze**
(BZ)
- ☐ **Satin Nickel**
(SN)
- ☐ **White**
(WT)

SELECT KELVIN TEMPERATURE

for LED Lighting

- ☐ **2700K**
warm white
- ☐ **3000K**
soft white
- ☐ **4000K**
cool white
- ☐ **5000K**
daylight white
- ☐ **2700K–5000K**
tunable-white

SELECT ANGLE POWER STRIP FIXTURES

- ☐ **TR Series**
duplex receptacle
- ☐ **TRS Series**
switch included
- ☐ **APT Series**
slim profile
- ☐ **APT-USB Series**
slim profile with USB A/C

☐ **Not needed for this project**

SELECT FINISH OPTION

for angle power strip

- ☐ **Black**
(BK)
- ☐ **Bronze**
(BZ)
- ☐ **Satin Nickel**
(SN)
- ☐ **White**
(WT)

NOTE: Call for custom options (not all fixtures can be customized).