

Adding LED lighting and power is easy

Submit a CAD drawing, sketch, elevation, and/or photograph with measurements, and our experienced in-house Design Services Team will return a recommended lighting and/or power design layout and parts list.



Need a quick quote?

Scan the QR code to fill out the Customer Quote form and receive a quote back from one of our Design Services team members.



Scan to fill out the
Customer Quote Form
<https://delivr.com/2smah>

Don't know where to start?

Our dedicated (and free!) Design Services Team is available to help you with technical support, product questions, layout suggestions, and advice on the best products for your project. Call **866-848-9094** or e-mail **DesignAndSupport@TaskLighting.com**.

Task Lighting & Power

Submit the project to the
in-house Design Services team at
DesignAndSupport@TaskLighting.com

Based on the project, the Design Services team will produce a professional layout with an included parts list. When you're ready to place the order, simply let your Design Services representative know or email your order to DesignAndSupport@TaskLighting.com

QUANTITY	SYMBOL	ITEM NUMBER
1		L-RMW30-16-27 16 ft (5 m) Radiance Series LED Tape Light
1		L-RMW30-33-27 33 ft (10 m) Radiance Series LED Tape Light
4		L-BAMA-E28P-W Task light to wire connector (6 pin included in kit)
7	not shown on drawing	L-OSB-FR-80 80° OSU series housing, frosted lens
24	not shown on drawing	L-MC-003 Mounting clip, OSU series housing
2		T-DI60W-12V-10W 48 watt forward power supply

2	SD	DVLV-400F-WH Magnetic low voltage dimmer
1		T-CW205-SOL-25 20 gauge solid, grey jacket, 25 ft roll
1		LP40GBWHW127 24 1/2" light fixture 30w white with white receptacle, 1700 K
1		LP40GBWHW127 30 1/2" light fixture 30w white with white receptacle, 1700 K
1		LP40GBWHW127 30 1/2" light fixture 30w white with white receptacle, 1700 K

12V

TASKTM
lighting & power

CUSTOMER: _____ JOB NAME: _____ DATE: _____ DRAWN BY: _____

designandsupport@tasklighting.com 866-848-9094

Locations of wiring, power supplies, receivers, and switches are for illustration and do not indicate required installation locations.

Installation locations are based upon job site conditions and should be in conformance with current NEC's and local building/electrical codes. Additional components may be needed when wireless controlling is set up by zones or areas.

Voltage drop may occur after you have exceeded a distance of 32' of both wire and/or lighting away from the power supply




Final installation photo based on layout by Design Services

If at any point during the installation you have a technical question, give us a call for complimentary assistance.

Design Services—always friendly, always free.

Lighting and Power Made Easy

with our in-house Design Services Team



Example of layout submitted to team

Floor plan from customer submitted to Design Services.



Layout returned from the Design Services team

A recommended layout and parts list to take the guesswork out of lighting and power



QUANTITY	SYMBOL	ITEM NUMBER		
4		LT2P324V30-08W 26-15/16\"/>		
2		LT6PD24V12-04W09/15/2023 8-1/8\"/>		
2		LT6PD24V24-09W09/15/2023 20-7/16\"/>		
1		LT6PD24V36-14W09/15/2023 32-3/4\"/>		
2		L-T600-16-24V-WW 16 Ft 300 Lm/Ft TW Tape Light-24V		
1		T-24V-24W-PI 24V, 24 Watt plug-in power supply		
3		T-24V-60W-PI 24V, 60 Watt plug-in power supply		
5		T-TWAV-WR-120 WAV Smart Receiver		
1		T-CW20G-STR-50 20/2 AWG stranded wire white jacket, 50 ft roll		
5		L-EZV2-4PK-WT 8-10 mm Tape light to wire connector		
1		T-T-12-WC-RF-WT Tunable-White Wireless One Zone Controller, White		
1		T-Q-42-WC-RF-WT Four Zone Wireless Controller		

1		TR18-2WD-P-WT 18\"/>		
1		TR30-2WD-P-WT 30\"/>		
2		TRUS-1WD-P-WT 9\"/>		
1		TRU18-2WD-P-WT 18\"/>		

1		TR18-2WD-P-WT 18\"/>		
1		TR30-2WD-P-WT 30\"/>		
2		TRUS-1WD-P-WT 9\"/>		
1		TRU18-2WD-P-WT 18\"/>		

CUSTOMER:	JOB NAME: RENDERING	DATE: 08/15/23	DRAWN BY: designandsupport@tasklighting.com	866-848-9094
-----------	---------------------	----------------	---	--------------

Locations of wiring, power supplies, receivers, and switches are for illustration and do not indicate required installation locations. Installation locations are based upon job site conditions and should be in conformance with current NECs and local building/electrical codes. Additional components may be needed when wireless controlling is set up by zones or areas.
Voltage drop may occur after you have exceeded a distance of 32' of both wire and/or lighting away from the power supply

hardware
resources

P. O. Box 72430
4319 Marlena
Bossier City, LA 71111
Ph: 318/742-0660
Fax: 318/742-9513

Customer:

Ship To:

VERIFY SHIP TO ADDRESS
VERIFY SHIP TO ADDRESS
VERIFY SHIP TO ADDRESS

QUOTE

Sales Order 42058438
Order Date 09/08/2023
Printed By
Page 1 of 2
www.hardwareresources.com

P. O. Number	Salesperson	Ship Via	F.O.B.	PaymentTerms
RENDERING	HA	FDX	DESTINATION	2% 10, NET 30 DAYS

Stock Items

Line	Ship Location	Item	Est Ship Date	Description	Reference	Qty	UOM	Unit Price	Total
1	KRN	LT2P324V30-08W	09/15/2023	26-15/16\"/>		4.00	EA		
2	KRN	LT6PD24V12-04W09/15/2023	09/15/2023	8-1/8\"/>		2.00	EA		
3	KRN	LT6PD24V24-09W09/15/2023	09/15/2023	20-7/16\"/>		2.00	EA		
4	KRN	LT6PD24V36-14W09/15/2023	09/15/2023	32-3/4\"/>		1.00	EA		
5	KRN	L-T600-16-24V-WW	09/15/2023	16 Ft 300 Lm/Ft TW Tape Light-24V		2.00	EA		
6	KRN	T-24V-24W-PI	09/15/2023	24V DC Plug-in power supply, 24 watt		1.00	EA		
7	KRN	T-24V-60W-PI	09/15/2023	24V DC Plug-in power supply, 60 watt		3.00	EA		
8	KRN	T-TWAV-WR-120	09/15/2023	WAV Smart Receiver for single color or Tandem CCT tape light		5.00	EA		
9	KRN	T-CW20G-STR-50	09/15/2023	WIRE-20 AWG-STRANDED-WHITE JACKET-UL LISTED-50 FEET		1.00	EA		

Easy to order

Convert this to an order, and call back at any time during or after the installation for expert technical support.

Your FREE Design Assistant for LED Lighting and Power Layouts

Task Lighting
& Power



Knowledgeable in-house staff

Our seasoned Design Services and Technical Support team in our Kearney, Nebraska, facility is always on hand to support you with layout designs and technical guidance from new construction or remodeling a home.